EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20060075445".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 11:57
L2	2	"20040122746".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:04
L3	2	"7210039".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:06
L4	2780	((acknowledg\$4 verif\$7 authenticat\$3 confirm\$3) near2 (signature id identif\$7 UID unique)) same (TV television tuner receiver demodulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:10
L5	0	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:10
L6	1763	4 and (@ad<"20020828" or @rlad<"20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:10
L7	95	6 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:11
L8	82	7 and (trigger\$3 initiat\$3 caus\$4 stimul\$5 activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:18
L9	80	8 and (tuner receiver demodulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:19

9/7/07 12:56:03 PM C:\Documents and Settings\ANguyen_Ba\My Documents\EAST\workspaces\10604974.wsp Page 1

EAST Search History

L10	21	9 and (digital with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:52
L11	. 1	"20020035533".did. and signature and acknowledgment and trigger\$3 and track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/07 12:54
L12	1	"20020035533".did. and signature and acknowledgment and trigger\$3 and track\$3 and (TV television tuner receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/07 12:54

9/7/07 12:56:03 PM C:\Documents and Settings\ANguyen_Ba\My Documents\EAST\workspaces\10604974.wsp Page 2 Web Images Video News Maps Gmail more •

Sign in -

Google

digital acknowledgment trigger

Advanced Search
Preferences
New! View and manage your web history

Web

Results 111 - 120 of about 682,000 for digital acknowledgment trigger. (0.10 seconds)

[PDF] IEEE-P1451.2 Smart Transducer Interface Module

File Format: PDF/Adobe Acrobat - View as HTML

and a digital hardware interface to access the TEDS, read. sensors, and set actuators.

occurred relative to the single trigger acknowledgment. ...

ieee1451.nist.gov/senoct11-2col.pdf - Similar pages

Turning the Postal System into a Generic Digital Communication ...

The arrival of the data at the receiver can **trigger** several types of responses. The receiver first needs to send back an **acknowledgement** over the Internet. ... dsh.cs.washington.edu/postmanet/ - 103k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Paperless recorder AX100

File Format: PDF/Adobe Acrobat

the trend, digital, and bar graph screens. The display, switching interval is selectable from 5

s, Alarm acknowledgment (trigger, 250 ms or longer) ...

www.maring.cz/docu/EN_GS_TI/zapis/GS04N03A01-00E_020.pdf - Similar pages

[PDF] Time over Threshold studies: a brief history

File Format: PDF/Adobe Acrobat - View as HTML

Digital Output:. \Box IDs of fired strips. \Box ToT per layer. (i.e. ORing per layer) ... where Δ Td is

the trigger, acknowledgement, strip1, strip2, FORMED OR ...

www-glast.slac.stanford.edu/software/AnaGroup/Nico-2005Aug-ToTHistory.pdf -

Similar pages

[PS] Design and Performance of the Level 1 Calorimeter Trigger for the ...

File Format: Adobe PostScript - View as Text

Level 1 Calorimeter Trigger, which identifies energy deposits. left by particles in the BaBar

calorimeter. It is a digital, cus- ...

www.slac.stanford.edu/BFROOT/www/Detector/**Trigger**/2000/ieee_papers/emt-ieee.ps.gz - Similar pages

Roxen Community: RFC 3578 Mapping of Integrated Services Digital ...

This document describes a way to map Integrated Services Digital Network User Part

Acknowledgement. Funding for the RFC Editor function is currently ...

community.roxen.com/developers/idocs/rfc/rfc3578.html - 38k - Cached - Similar pages

[PDF] Trouble Shooting Guide Track Numbering & Programming DM2218C ...

File Format: PDF/Adobe Acrobat - View as HTML

Depending on the playback mode, the trigger signal may be either a ... device does not

receive a correct **acknowledgment** within 100 ms, it should ... www.lextronic.fr/Eletech/DM2218C.pdf - <u>Similar pages</u>

[PDF] Practical Attacks on Digital Signatures Using MD5 Message Digest

File Format: PDF/Adobe Acrobat - View as HTML

how to trigger), using the differing bits as a part of computation somewhere Acknowledgement. This work was inspired by Vlastimil Klima's lecture [4], ...

eprint.iacr.org/2004/356.pdf - Similar pages

A Safe Architecture Framework @ WEBLOGIC JOURNAL

It can also trigger specific actions such as paging security personnel in ... Together, these

two (message signature and **acknowledgment**) are proof that the ... weblogic.sys-con.com/read/44024.htm - 76k - <u>Cached</u> - <u>Similar pages</u>

[PDF] DAQSTATION DX100L Special Housing Model

File Format: PDF/Adobe Acrobat

Used for calculating data, displaying trends and **digital**. values, and recording calculated data ... Alarm **acknowledgement** (**trigger**, 250 ms or longer) ...

www.kruhek.com.hr/yokogawa/Recorders/pdf/GS04L04A01-00E.pdf - Similar pages

Previous 2 3 4 5 6 7 8 9 101112131415161718192021

Next

digital acknowledgment trigger



Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more

Sign in

Google

(~tag OR ~identifier) (~media OR ~content) (1

Search Advanced Search Preferences

New! View and manage your web history

Web Results 1 - 10 of about 811,000 for (~tag OR ~identifier) (~media OR ~content) (TV OR video) (tuner OF

The Digital TV Tuner Regulator Platform - Patent 20060075445

The Television (TV) Digital Tuner Acknowledgement Trigger invention is designed to make Content could be in the form of new and old tv shows, video's, ... www.freepatentsonline.com/20060075445.html - 62k - Cached - Similar pages

Networking audio/video device - Patent EP1353506

Abstract of EP1353506 An audio/video device (3) has two ports (8, ... functions such as program mapping from the TV tuner to the video recorder tuner, ... www.freepatentsonline.com/EP1353506.html - 31k - Cached - Similar pages

[More results from www.freepatentsonline.com]

COMPCON '95 Paper

Ten 15 fps audio/video channels may be carried on a 400 Mbps 1394 interface. Once the receiver accepts the packet, a packet acknowledgment is returned ... www.skipstone.com/compcon.html - 20k - Cached - Similar pages

XEP-0166: Jingle

Various content description formats (audio, video, etc. the "session-initiate" message and before receiving acknowledgement from the receiver (i.e., ... www.xmpp.org/extensions/xep-0166.html - 81k - Cached - Similar pages

RFC 2838 (rfc2838) - Uniform Resource Identifiers for Television ...

In order to support these **identifiers** in a "tv:" URI, a **receiver** must implement a means ... **Acknowledgments** Many of the ideas in this **document** came out of ... www.faqs.org/rfcs/rfc2838.html - 14k - <u>Cached</u> - <u>Similar pages</u>

Untitled **Document**

Once the **receiver** accepts the packet, a packet **acknowledgment** is sent to the ... commands for transporting digital **audio/video** data over the 1394 bus, and, ... www.cablelabs.com/news/newsletter/SPECS/spectechjuly/tech.pgs/leadstory.html - 20k - Cached - Similar pages

LCD TV Tuner Box, Watching CATV on CRT/LCD Monitor, SXGA ...

*With Video, S-Video and multimedia interface, capable of connecting with camera, VCD or TV game console *Auto Detect when TV, AV, SV, VGA is no signal ... www.made-in-china.com/showroom/cland2046/product-detailroinAqfLqGVX/China-LCD-TV-Tuner-Box-Watching-CATV-... - 18k - Cached - Similar pages

Digital TV Receiver (DVB-T700) - China Digital TV, TV, TV Recevier ...

Audio output pattern: Stereo, Audio L/R, SPDIF Dolby digit effect Video output ... Your use of this website is subject to, and constitutes acknowledgement ... www.made-in-china.com/showroom/nancyvcan/product-detailRodnCNKMSakB/China-Digital-TV-Receiver-DVB-T700-.html - 23k - Cached - Similar pages

[More results from www.made-in-china.com]

Bamba--Audio and video streaming over the Internet

Bamba offers high-quality **audio** and **video** over low-bit-rate connections and can waits for **acknowledgments** from the **receiver** for every packet it sends. ... www.research.ibm.com/journal/rd/422/willebeek.html - 70k - <u>Cached</u> - <u>Similar pages</u>

TG Daily - FCC extends digital TV tuner mandate in wake of Senate ... TG Daily, fcc extends dtv tuner mandate. ... he added, "We also appreciate Chairman Martin's acknowledgement of manufacturers' 2006 Tigervision Media ... www.tgdaily.com/content/view/21549/97/ - 59k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

(~tag OR ~identifier) (~media OR ~ Searchু

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more

Sign in

Google

(~tag OR ~identifier) (~media OR ~content) (1 Search Preferences
New! View and manage your web history

Web Results 1 - 10 of about 602,000 for (~tag OR ~identifier) (~media OR ~content) (TV OR video) (tuner OF

Method and system for direct purchase in response to a multi-media ... A streaming video receiver 102 receives a streaming video signal 104. authorization acknowledgement 149 may be the PIN, the password, the signature, ... www.freepatentsonline.com/20040122746.html - 47k - Cached - Similar pages

RFC 2838 (rfc2838) - Uniform Resource Identifiers for Television ...
In order to support these identifiers in a "tv:" URI, a receiver must implement a means ...

Acknowledgments Many of the ideas in this document came out of ...

www.faqs.org/rfcs/rfc2838.html - 14k - Cached - Similar pages

draft-zigmond-tv-url-02 - frequencies. These systems can be ...
In this way, the "tv:" scheme is somewhat analogous to the "news:" and ... Both call-sign and network-id are case-insensitive. 5. Acknowledgments Many of ... tools.ietf.org/html/draft-zigmond-tv-url-02 - 24k - Cached - Similar pages

Microsoft Corp. and media Resources on TechRepublic

Tags: Digital signatures, Authentication/Encryption, Digital security, Network technology, SECURITY, digital signature, media, optical fiber, ...
search.techrepublic.com.com/search/Microsoft+Corp.+and+media.html - 52k - Cached - Similar pages

knowledge and receiver Resources on TechRepublic

Tags: TVs, TV & Home Theater, Desktops, digital content, receiver, digital television,
Fujitsu Ltd., digital broadcast, PC-software, PC, TV, hacking, ...
search.techrepublic.com.com/search/knowledge+and+receiver.html - 50k Cached - Similar pages
[More results from search.techrepublic.com.com]

Industry News

The new version provides an integrated **audio** and **video** finishing toolset The InVideo USB **TV Tuner**, shipping in June, will with a suggested retail price ... www.m2w.net/News/990412.html - 79k - <u>Cached</u> - <u>Similar pages</u>

Network Working Group P. Riikonen Internet-Draft draft-riikonen ...

For example, it would be possible to send audio stream, video stream, image files and HTML pages as messages, and the receiver can either choose to ignore ...

www.ietf.org/internet-drafts/draft-riikonen-flags-payloads-04.txt - 24k - Cached - Similar pages

Texas Advertising @ The University of Texas at Austin

Billboard: (1) An outdoor sign or poster; (2) Sponsor identification at the Master tape:

An edited audio tape or video tape to be recorded on quantity ...

advertising.utexas.edu/research/terms/ - 95k - Cached - Similar pages

O'Reilly - Safari Books Online - 0789730030 - Absolute Beginner's ... By combining the IR receiver/emitter "beanbag" circuitry with a TV tuner in one ... video and audio I/O. Just attach everything to the tuner/beanbag device, ... safari.oreilly.com/0789730030/ch25lev1sec2 - Similar pages

VideoLAN - News

. (~tag OR ~identifier) (~media OR ~content) (TV OR video) (tuner OR receiver) ~ackno... Page 2 of 2

Most prominent are probably Windows **Media Video** 9 and Flash **Video**. a lot of new features since 0.3.1: WinTV-Nova satellite **receiver** support, ... www.videolan.org/news.html - 103k - <u>Cached</u> - <u>Similar pages</u>

1 <u>2 3 4 5 6 7 8 9 10</u> **Next** .

Try Google Desktop: search your computer as easily as you search the web.

(~tag OR ~identifier) (~media OR ~

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google